Application No. 10/634,262
Filed: August 5, 2003
TC Art Unit: 1638
Confirmation No.: 7055

AMENDMENTS TO THE SPECIFICATION

On page 1, replace the first paragraph, beginning on line 5 with the following paragraph:

Cross-Reference to Related Application

This application is a continuation application of U.S. Patent Application No. 09/554,467 filed 12 May 2000, now U.S. Patent No. 6,639,125, which is a 371 of PCT/US98/24225 filed 12 November 1998, which is a continuation-in-part of U.S. Application No. 08/968,467 filed 12 November 1997, now U.S. Patent No. 5,981,728, all of which are incorporated by reference herein.

On page 12, replace the paragraph beginning on line 23, with the following paragraph:

Figure 6 shows the DU1 amino acid sequence is most similar to that of the potato SSIII. Figure 6A shows the primary sequence alignment. The deduced amino acid sequence of DU1 and potato SSIII (GenBank accession number X95759) are aligned. Solid directional arrows indicate that positions of the three 60 amino acid SBE-superrepeats, and dotted arrows denote individual copies of the SBE-repeat. Dashed arrows indicate the positions of the three repeat units that make up the 85 redisue repeat. Double-headed

-2-.

Application No. 10/634,262
Filed: August 5, 2003
TC Art Unit: 1638
Confirmation No.: 7055

arrows are labeled with Roman numerals indicate the positions of correspondingly designated conserved sequence blocks identified in the glucan synthase family (Preiss and Sivak, 1996). Figure 6B shows the domains of Dul. Similarity scores between each segment of Dul and SSIII are shown under each region. "Catalytic domain" indicates the region of the Dul similar in amino acid sequence to a α -(1-4)-glycosyltransferases in general. "SSIII/Dul homology domain" indicates the region shared specifically by Dul and SSIII among known proteins. "Dul specific region" indicates the portion of Dul that is unique in amino acid sequence among known proteins.

On page 21, replace the paragraph beginning at line 22 with the following paragraph:

As used herein, the term "host" is meant to include not only prokaryotes but also eukaryotes such as yeast, plant and animal cells. A recombinant DNA molecule or gene which encodes a maize starch synthase enzyme of the present invention can be used to transform a host using any of the techniques commonly known to those of ordinary skill in the art. One preferred embodiment is the use of a vectors containing coding sequences for the gene which encodes a maize starch synthase enzyme of the present invention for purposes of prokaryotic transformation. Prokaryotic

-31-

Application No. 10/634,262
Filed: Adgust 5, 2003
TC Art Unit: 1638
Confirmation No.: 7055

hosts may include E. coli, S. tymphimurium, Serratia marcescens and Bacillus subtilis. Eukaryotic hosts include yeasts such as Pichia pastoris, mammalian cell insect cells, and more preferentially, plant cells, such as Arabidopsis chaliana and Nicotiana tabacum.

On page 47, replace the paragraph beginning at line 19 with the following paragraph:

The nature of the 180 residue repeat suggests it is involved in a specific function of DUI. The SBE-repeats that begin each SBE-superrepeat are more similar to each other than to the SBE-repeats at any of the other five portions in the superrepeat (Figure 7A). This suggests that these three SBE-repeats were not important for function, then mutations should accumulate in those sequences at the same rate that they have appeared in other portions of the SBE-superrepeat, which is not the case. The consensus sequence among these three conserved SBR-repeats is DQSIVG (SEQ ID NO. 9) in the first half-repeat, designated as the "M-box", and SHKQ (SEQ ID NO. 10) in the second half repeat. When the M-box sequence was searched for in known polypeptides only a single type of enzyme was found to contain as exact match, namely SBEI family members.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.